

Поставляется Компанией
«Новые Технологии»



SOURIAU
Connection Technology



-
- , 4
- , 3
- , 2



- 1) : 4 12
- 2) (, ,)
- 3) .
- 4) .
- 5) .

10.

	4		3		2	
	SN201F	SN1252	SN1083	SN1862	SN1862	SN 1252
MIL C 26482 G, 1 NFC 93422 HE 301 B	•	•	•	•	•	•
MIL C 26482 G, 2 NFC 93422, HE 312	•	•	•	•	•	•
MIL C 38999, 1 NFC 93422 HE 308	•	•	•	•	•	•
MIL C 38999, 2 NFC 93422 HE 309	•	•	•	•	•	•
MIL C 38999, 3	•	•	•	•	•	•
MIL C 83723, 3	•	•	•	•	•	•
MIL C 81703	•	•	•	•	•	•
NFL 54120	•					
MIL C 5015 G	•	•	•	•	•	•
NFC 54143 PREN 2997	•	•	•	•	•	•
	Alu	Alu	Alu	Alu	Alu	Alu

SN 201 F, 4



- : ISO
- : SI
- : UNJC

	SN 201 F	**	*
(.)			
N – ISO J – SI V – UNJC, 3B			


SN 1252, 4



- : ISO
- : -

	SN 1252	**	N
(.)			
N – ISO			


, SN 201 F



SN 201 F - ** - *

/			P1	P2	A	B	Ø C	Ø D			E	Ø F	'	
MIL-C-38999, I, III	MIL-C-81703	MIL-C-26482 G MIL-C-83723 NFL 54143						ISO	SI	UNJC				
08/09		08	5	2.8	21.0	15.1	15.2	M3	3	4-40	7	27.3	2.1	08
10/11	07	10	5	2.8	25.4	18.3	19.5	M3	3	4-40	10	32.0	2.8	10
12/13	12	12	5	2.8	27.8	20.6	22.7	M3	3	4-40	13	35.3	2.8	12
14/15	19	14	5	2.8	30.2	23.0	26	M3	3	4-40	14	38.6	3.1	14
16/17	27	16	5	2.8	32.5	24.6	28.5	M3	3	4-40	16	40.8	3.7	16
18/19		18	5	2.8	35.1	27.0	31.1	M3	3	4-40	18	44.7	3.8	18
20/21		20	5	5.4	39.0	29.4	34	M3	3	4-40	20	49.1	4.2	20
22/23		22	5	5.4	42.3	31.7	37.3	M3	3	4-40	23	53.1	5.0	22
24/25		24	5	5.4	45.5	34.9	40.5	M3.5	3.5	6-32	26	57.3	5.7	24
		243	5	5.4	45.5	34.9	40.5	M3			26	57.3	5.7	243
	37		5	5.4	36.5	30.1	33.6	M3	3	4-40	21	48.5	4.0	37
	61		5	5.4	45.2	36.5	41.6	M3	3	4-40	28	59.4	5.1	61

, SN 1252



SN 1252 - ** - N

/			P1	P2	A	B	Ø C	Ø D			E	Ø F	'	
MIL-C-38999, I, III	MIL-C-81703	MIL-C-26482 G MIL-C-83723 NFL 54143						ISO	SI	UNJC				
08/09		08	5	2.8	21.0	15.1	15.2	M3	3	4-40	7	27.3	2.1	08
10/11	07	10	5	2.8	25.4	18.3	19.5	M3	3	4-40	10	32.0	2.8	10
12/13	12	12	5	2.8	27.8	20.6	22.7	M3	3	4-40	13	35.3	2.8	12
14/15	19	14	5	2.8	30.2	23.0	26	M3	3	4-40	14	38.6	3.1	14
16/17	27	16	5	2.8	32.5	24.6	28.5	M3	3	4-40	16	40.8	3.7	16
18/19		18	5	2.8	35.1	27.0	31.1	M3	3	4-40	18	44.7	3.8	18
20/21		20	5	5.4	39.0	29.4	34	M3	3	4-40	20	49.1	4.2	20
22/23		22	5	5.4	42.3	31.7	37.3	M3	3	4-40	23	53.1	5.0	22
24/25		24	5	5.4	45.5	34.9	40.5	M3.5	3.5	6-32	26	57.3	5.7	24
		243	5	5.4	45.5	34.9	40.5	M3			26	57.3	5.7	243
	37		5	5.4	36.5	30.1	33.6	M3	3	4-40	21	48.5	4.0	37
	61		5	5.4	45.2	36.5	41.6	M3	3	4-40	28	59.4	5.1	61

SN 1083, 3



- : ISO
- : SI
- : UNJC

SN 1083	**	*
(.)		
N – ISO J – SI V – UNJC, 3B		


SN 1862, 3



- : UNJC
- : -

SN 1862	3	**	V	A	1
3					
(.)					
V – UNJC, 3B ()					
-					
- 1					


, SN 1083



SN 1083 - ** - *

/														
MIL-C-38999, I, III	MIL-C-81703	MIL-C-26482 G MIL-C-83723 NFL 54143	P1	P2	A	B	Ø C	Ø D			E	Ø F	'	
								ISO	SI	UNJC				
08/09		08	5	2.8	21.0	15.1	15.2	M3	3	4-40	4.5	27.3	1.6	08
10/11	07	10	9	2.8	25.4	18.3	19.5	M3	3	4-40	5.5	32.0	2.1	10
12/13	12	12	5	2.8	27.8	20.6	22.7	M3	3	4-40	6.6	35.3	2.2	12
14/15	19	14	5	2.8	30.2	23.0	26	M3	3	4-40	7.8	38.6	2.3	14
16/17	27	16	5	2.8	32.5	24.6	28.5	M3	3	4-40	8.2	40.8	2.4	16
18/19		18	5	2.8	35.1	27.0	31.1	M3	3	4-40	9.3	44.7	2.7	18
20/21		20	5	5.4	39.0	29.4	34	M3	3	4-40	9.8	49.2	4.2	20
22/23		22	5	5.4	42.3	31.7	37.3	M3	3	4-40	10.4	53.1	4.2	22
24/25		24	5	5.4	45.5	34.9	40.5	M3.5	3.5	6-32	12.0	57.3	4.3	24
		243	5	5.4	45.5	34.9	40.5	M3	3	4-40	12.0	57.3	4.3	243
	37		5	5.4	36.5	30.1	33.6	M3	3	4-40	11.7	48.5	2.7	37
	61		5	5.4	45.2	36.5	41.6	M3	3	4-40	13.8	52.4	4.3	61

, SN 1862, 3



SN 1862 - 3 - ** - V - A - I

	$A \pm 0.3$	$B \pm 0.05$	$\text{Ø } C \pm 0.3$	$D \pm 0.2$,
08	22.5	15.1	14.4	3.91	1.00
10	25.4	18.3	18.4	5.30	1.05
12	27.8	20.6	22.2	6.68	1.05
14	30.2	23	25.4	7.88	1.09
16	30.5	24.6	27.6	8.68	1.17
18	35.7	27	31.1	9.85	1.24
20	39	29.4	34.5	10.31	1.33
22	42.3	31.75	37.8	11.50	1.44
24	45.5	34.9	41	12.70	1.39


SN 1862, 2



∴
UNJC
∴

	SN 1862	2	**	V	A
2					
(.)					
V – UNJC,	3B ()
–					


SN 1252, 2



∴
ISO
∴

	SN 1252	2	**	N
2				
(.)				
N – ISO				


, SN 1862, 2



SN 1862 - 2 - ** - V - A

	$A \pm 0.3$	$B \pm 0.05$	$\text{Ø } C \pm 0.3$	$D \pm 0.2$,
08	22.5	15.1	14.4	3.91	0.80
10	25.4	18.3	18.4	5.30	0.87
12	27.8	20.6	22.2	6.68	0.88
14	30.2	23	25.4	7.88	0.91
16	30.5	24.6	27.6	8.68	0.96
18	35.7	27	31.1	9.85	1.06
20	39	29.4	34.5	10.31	1.15
22	42.3	31.75	37.8	11.50	1.26
24	45.5	34.9	41	12.70	1.41


, SN 1252, 2





SN 1252 - 2 - ** - N

/												
MIL-C-38999, I, III	MIL-C-81703	MIL-C-26482 G MIL-C-83723 NFL 54143	P1	P2	A	B	Ø C	Ø D ISO	E	Ø F	'	
08/09		08	5	2.8	21	15.1	15.2	M3	7	27.3	0.9	08
10/11	07	10	5	2.8	25.4	18.3	19.5	M3	10	32	1.2	10
12/13	12	12	5	2.8	27.8	20.6	22.7	M3	13	35.3	1.3	12
14/15	19	14	5	2.8	30.2	23	26	M3	14	38.6	1.3	14
16/17	27	16	5	2.8	32.5	24.6	28.5	M3	16	40.8	1.4	16
18/19		18	5	2.8	35.1	27	31.1	M3	18	44.7	1.65	18
20/21		20	5	5.4	39	29.4	34	M3	20	49.1	2.2	20
22/23		22	5	5.4	42.3	31.7	37.3	M3	23	53.1	2.2	22
24/25		24	5	5.4	45.5	34.9	40.5	M3.5	26	57.3	2.65	24
		243	5	5.4	45.5	34.9	40.5	M3	26	57.3	2.65	243

20 -









<http://www.novaspb.com>

./ : +7-812-458-75-90,
+7-812-325-42-90,
+7-812-325-42-91

sales@novaspb.com

info@novaspb.com